

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #01	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM,
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,871,765.37'
GRID EASTING COORDINATE 2,311,117.01'
NAVD88 ELEVATION 607.64'

REFERENCE DATA

OBJECT	DISTANCE	
RM 1	81.4'	
RM 2	152'	
RM 3	25.5'	

DESCRIPTION OF STATION MARK

ALUMINUM DISK SET IN CONCRETE


ROUTE DESCRIPTION

MONUMENT IS LOCATED AT 1249 I.H. 35 SOUTH AND
APPROXIMATELY 347 FEET NORTH OF SPRINGTOWN DRIVE.

REFERENCE MARK # 1 CONCRETE NAIL W/SHINER IN POWER POLE

REFERENCE MARK # 2 1 / 2 " I.R.F. IN CONCETE

REFERENCE MARK # 3 ENTERPRISE SIGN





CSM01a.JPG



CSM01b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #02	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE, 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

		OBJECT	DISTANCE
GRID NORTHING COORDINATE	13,872,644.98'	RM 1	160'
GRID EASTING COORDINATE	2,312,433.88'	RM 2	99'
		RM 3	
NAVD88 ELEVATION	602.40'		

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY 213 FEET SOUTH OF
DAVIS STREET AND 58.7 FEET EAST OF I.H. 35 NORTHBOUND
ACCESS ROAD.

REFERENCE MARK # 1

TELEPHONE MANHOLE

REFERENCE MARK # 2


STORMSEWER MANHOLE

REFERENCE MARK # 3

N.T.S.



IH 35 NORTHBOUND ACCESS ROAD





CSM02a.JPG



CSM02b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #3	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
--------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE, 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,869,266.05'
GRID EASTING COORDINATE 2,312,937.94'

NAVD88 ELEVATION 584.79'

REFERENCE DATA

OBJECT	DISTANCE	
RM 1	32.6'	
RM 2	41.4'	
RM 3	45.8'	


DESCRIPTION OF STATION MARK ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION MONUMENT IS LOCATED APPROXIMATELY 62 FEET
SOUTH OF HWY 80 AND EAST OF RIVER ROAD.

REFERENCE MARK # 1 CONCRETE NAIL W/SHINER IN POWER POLE

REFERENCE MARK # 2 TXDOT HWY MONUMENT

REFERENCE MARK # 3 MANHOLE





CSM03a.JPG



CSM03b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #04	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,866,973.55'
GRID EASTING COORDINATE 2,306,148.09'

NAVD88 ELEVATION 575.24'

REFERENCE DATA

OBJECT	DISTANCE
RM 1	95.6'
RM 2	74.7'
RM 3	44.8'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY 345 FEET
WEST OF IH 35 SOUTHBOUND ACCESS ROAD ; JUST
NORTH OF C.M. ALLEN PARKWAY.

REFERENCE MARK # 1


CONCRETE NAIL W/SHINER IN POWER POLE

REFERENCE MARK # 2

SEWER MANHOLE

REFERENCE MARK # 3

LIGHT POLE





CSM04a.JPG



CSM04b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #05	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL,2005	FIELD BOOK G.P.S.
---------------------------------	--	---------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

GRID NORTHING COORDINATE 13,875,132.38'
GRID EASTING COORDINATE 2,310,031.40'

NAVD88 ELEVATION 582.62'

OBJECT DISTANCE

RM 1	27.9'
RM 2	29.4'
RM 3	47.2'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY 43
FEET WEST OF POST ROAD ; JUST SOUTH
OF LIME KILN ROAD.

REFERENCE MARK # 1 POWER POLE
REFERENCE MARK # 2 FIRE HYDRANT
REFERENCE MARK # 3 WATER METER IN CONCRETE BOX

TRAVIS ELEM.
SCHOOL

GPS #05

RM 3

SIDEWALK

RM 2

RM 1

POST ROAD

LIME KILN

RM 1

27.9'


N.T.S.

29.4'

47.2'



CSM05a.JPG



CSM05b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #06	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
NAD-83 TEXAS PLANE COORDINATES SYSTEM SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE USING A SCALE FACTOR OF 1.000117080		REFERENCE DATA	
		OBJECT	DISTANCE
GRID NORTHING COORDINATE 13,869,170.24'		RM 1	60'
GRID EASTING COORDINATE 2,304,809.14'		RM 2	63.5'
NAVD88 ELEVATION 581.55'		RM 3	

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE


ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY 23 FEET
SOUTH OF MKT RR TRACKS ; JUST NORTHWEST OF COMAL ST.

REFERENCE MARK # 1 10" X 10" CEDAR POST

REFERENCE MARK # 2 10" X 10" CEDAR POST

REFERENCE MARK # 3





CSM06a.JPG



CSM06b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #07	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

		OBJECT	DISTANCE
GRID NORTHING COORDINATE	13,859,993.09'	RM 1	147.0'
GRID EASTING COORDINATE	2,305,315.22'	RM 2	197.0'
NAVD88 ELEVATION	657.10'	RM 3	55.0'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED ON TOP OF A HILL SOUTH
OF DE ZAVALA DR. AND EAST OF HWY 123
APPROXIMATELY 707' TOWARDS DE ZAVALA SCHOOL

REFERENCE MARK # 1


P/K NAIL @ CENTER OF ROAD

REFERENCE MARK # 2

CONCRETE NAIL W/SHINER IN POWER POLE

REFERENCE MARK # 3

CONCRETE NAIL W/SHINER IN POWER POLE





CSM07a.JPG



CSM07b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #08	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,862,727.84'
GRID EASTING COORDINATE 2,298,201.63'

NAVD88 ELEVATION 603.95'

REFERENCE DATA

OBJECT	DISTANCE
RM 1	81.7'
RM 2	21.5'
RM 3	18'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE


ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY ONE HALF MILE
WEST OF IH 35 SOUTH, ON WONDER WORLD DRIVE.
MONUMENT IS LOCATED AT THE CORNER OF WONDER
WORLD DR. & CORPORATE DR.

REFERENCE MARK # 1 CONCRETE NAIL W/SHINER IN POWER POLE

REFERENCE MARK # 2 TELEPHONE MANHOLE

REFERENCE MARK # 3 CONCRETE NAIL W/SHINER IN POWER POLE





CSM08a.JPG



CSM08b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #09	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

GRID NORTHING COORDINATE 13,851,094.35'
GRID EASTING COORDINATE 2,291,476.19'

NAVD88 ELEVATION 649.73'

OBJECT

DISTANCE

RM 1	12'
RM 2	34.5'
RM 3	

DESCRIPTION OF STATION MARK

ALUMINUM DISK SET CONCRETE.

ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY THREE TENTHS OF A MILE
NORTH OF THE FACTORY OUTLET MALL MAIN ENTRANCE ON IH 35
NORTH BOUND ACCESS ROAD.


REFERENCE MARK # 1

LIGHT POLE

REFERENCE MARK # 2

NW CORNER OF CONCRETE PAD FOR AN ELECTRICAL BOX

REFERENCE MARK # 3




N.T.S.

IH 35 N. BOUND ACCESS RD.

FRONT ENTRANCE

OUTLET MALL





CSM09a.JPG



CSM09b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #10	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL,2005	FIELD BOOK G.P.S.
--------------------------	--	---------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEMS
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE	13,888,162.71'
GRID EASTING COORDINATE	2,320,954.79'

NAVD88 ELEVATION 629.35'

REFERENCE DATA

OBJECT

DISTANCE

RM 1	21'
RM 2	57.4'
RM 3	35'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE


ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY ONE HALF MILE SOUTH OF TECHNOLOGY WAY.

REFERENCE MARK # 1 1/2" ISF W/YELLOW CAP STAMPED CHAPARRAL BOUNDARY

REFERENCE MARK # 2 MANHOLE

REFERENCE MARK # 3 WATER VALVE





CSM10a.JPG



CSM10b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME:	MONUMENTED BY:	DATE:	FIELD BOOK
GPS #11	McMICHAEL LAND SURVEYING	APRIL, 2005	G.P.S.

NAD-83 TEXAS PLANE COORDINATES SYSTEMS
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,874,481.99'
GRID EASTING COORDINATE 2,323,598.96'

NAVD88 ELEVATION 588.79'

REFERENCE DATA		
OBJECT	DISTANCE	
RM 1	52'	
RM 2	76.7'	
RM 3	30.3'	

DESCRIPTION OF STATION MARK ALUMINUM DISK SET IN CONCRETE
ROUTE DESCRIPTION MONUMENT IS LOCATED APPROXIMATELY 61 FEET NORTH OF AIRPORT DRIVE AND EAST OF HWY 21.


REFERENCE MARK # 1 NORTH CORNER OF HEADWALL
REFERENCE MARK # 2 CONCRETE PIER
REFERENCE MARK # 3 NORTH CORNER OF ROCK SIGN



←
→

←
→

TO SAN MARCOS HWY 21 TO BASTROP





CSM11a.JPG



CSM11b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #14	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,874,895.73'
GRID EASTING COORDINATE 2,296,145.77'

NAVD88 ELEVATION 744.89'

REFERENCE DATA

OBJECT	DISTANCE
RM 1	23.5'
RM 2	42.8'
RM 3	21.8'

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE


ROUTE DESCRIPTION

MONUMENT IS LOCATED APPROXIMATELY 475.0'
WEST OF BISHOP STREET.

REFERENCE MARK # 1 SPEED LIMIT SIGN

REFERENCE MARK # 2 TXDOT HWY MON.


REFERENCE MARK # 3 1/2" I R F W/ YELLOW CAP STAMPED BYRN SURVEY



N.T.S.

RR 12

7



CHAIN LINK FENCE

CAR WASH

BISHOP



CSM14a.JPG



CSM14b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #16	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------


NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,859,068.08'
GRID EASTING COORDINATE 2,302,006.94'

NAVD88 ELEVATION 671.15'

REFERENCE DATA		
OBJECT	DISTANCE	
RM 1	34.5'	
RM 2	62.2'	
RM 3		

DESCRIPTION OF STATION MARK	ALUMINUM DISK SET IN CONCRETE
ROUTE DESCRIPTION	MONUMENT IS LOCATED ON THE NORTH SIDE OF WONDER WORLD DRIVE, WEST OF MEDICAL PARKWAY AND EAST OF THE HOSPITAL ENTRANCE.
REFERENCE MARK # 1	SPEED SIGN
REFERENCE MARK # 2	POWER POLE
REFERENCE MARK # 3	



1304 WONDER WORLD



CSM16a.JPG



CSM16b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #17	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,850,303.88'
GRID EASTING COORDINATE 2,289,665.49'

NAVD88 ELEVATION 667.82'

REFERENCE DATA		
OBJECT	DISTANCE	
RM 1	9.7'	
RM 2	9.6'	
RM 3		


DESCRIPTION OF STATION MARK ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION MONUMENT IS LOCATED BEHIND A HEADWALL OF A DRAINAGE INLET BOX ALONG GREGSON BEND, SOUTH OF CENTERPOINT AND WEST OF INTERSTATE 35.

REFERENCE MARK # 1 "X" CHISELED ON CONCRETE HEADWALL

REFERENCE MARK # 2 STORMSEWER MANHOLE

REFERENCE MARK # 3





CSM17a.JPG



CSM17b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #18	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4202. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,868,645.73'
GRID EASTING COORDINATE 2,297,882.93'

NAVD88 ELEVATION 705.93'

REFERENCE DATA		
OBJECT	DISTANCE	
RM 1	37'	
RM 2	37'	
RM 3	51.6'	


DESCRIPTION OF STATION MARK ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION MONUMENT IS LOCATED ON THE NORTH SIDE OF BISHOP STREET, APPROXIMATELY 37 FEET SOUTH OF DRIVEWAY.

REFERENCE MARK # 1 CENTERLINE OF DRIVEWAY

REFERENCE MARK # 2 POWERPOLE

REFERENCE MARK # 3 POWERPOLE





CSM18a.JPG



CSM18b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #19	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
--------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

GRID NORTHING COORDINATE 13,870,274.07'
GRID EASTING COORDINATE 2,296,197.06'
NAVD88 ELEVATION 710.59'

OBJECT DISTANCE

RM 1	7.7'
RM 2	25'
RM 3	

DESCRIPTION OF
STATION MARK

3/4" IRON ROD SET IN CONCRETE

ROUTE DESCRIPTION


MONUMENT IS LOCATED 128' SOUTHWEST
FROM BISHOP ST. AND FRANKLIN DR.

REFERENCE MARK # 1 WATER VALVE


REFERENCE MARK # 2 POWER POLE

REFERENCE MARK # 3

FRANKLIN DR.



BISHOP ST.





CSM19a.JPG



CSM19b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #20	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL,2005	FIELD BOOK G.P.S.
---------------------------------	--	---------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,870,503.45'
GRID EASTING COORDINATE 2,303,918.49'

NAVD88 ELEVATION 622.03'

REFERENCE DATA

OBJECT	DISTANCE	
RM 1	32'	
RM 2	4'	
RM 3	41.30'	


DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED ON THE NORTHEAST
CORNER OF GUADALUPE ST. AND HUTCHISON ST.

REFERENCE MARK # 1 POWERPOLE
REFERENCE MARK # 2 POWERPOLE
REFERENCE MARK # 3 CORNER OF BUILDING





CSM20a.JPG



CSM20b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #21	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL,2005	FIELD BOOK G.P.S.
---------------------------------	--	---------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,864,020.23'
GRID EASTING COORDINATE 2,304,827.24'

NAVD88 ELEVATION 585.63'

REFERENCE DATA	
OBJECT	DISTANCE
RM 1	32.5'
RM 2	18'
RM 3	35.5'


DESCRIPTION OF STATION MARK ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION MONUMENT IS LOCATED APPROXIMATELY 15' WEST OF THE ASPHALT WEST OF HIGHWAY 123.

REFERENCE MARK # 1 WATERVALVE

REFERENCE MARK # 2 SIGN

REFERENCE MARK # 3 CORNER OF BRICKWALL





CSM21a.JPG



CSM21b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #22	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

		OBJECT	DISTANCE
GRID NORTHING COORDINATE	13,878,970.37'	RM 1	15.9'
GRID EASTING COORDINATE	2,316,470.89'	RM 2	88'
NAVD88 ELEVATION	604.50'	RM 3	

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED ON THE SOUTH BOUND
ACCESS ROAD, SOUTH OF THE MARKET BLVD.
INTERSECTION.

REFERENCE MARK # 1

POWERPOLE

REFERENCE MARK # 2

FIRE HYDRANT


REFERENCE MARK # 3



N.T.S.


← EXIT 207

IH35 SOUTHBOUND ACCESS RD.





CSM22a.JPG



CSM22b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #23	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

REFERENCE DATA

GRID NORTHING COORDINATE
GRID EASTING COORDINATE

13,873,618.27'
2,310,128.67'

NAVD88 ELEVATION

586.17'

OBJECT

DISTANCE

RM 1

34.5'

RM 2

29.3'

RM 3

DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED ALONG AQUARENA SPRINGS DR.,
EAST OF WARDEN LN., 7' FROM BACK OF CURB.

REFERENCE MARK # 1

POWERPOLE

REFERENCE MARK # 2

STORMSEWER MANHOLE

REFERENCE MARK # 3

N.T.S.

MILL ST.

AQUARENA SPRINGS DR.

WARDEN ST

ENTRANCE TO
STADIUM PLAZA

RM 1


34.5'

29.3'

RM 2

GPS #23

STADIUM PLAZA





CSM23a.JPG



CSM23b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #24	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
--------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM		REFERENCE DATA		
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE		OBJECT	DISTANCE	
USING A SCALE FACTOR OF 1.000117080				
GRID NORTHING COORDINATE	13,871,010.48'	RM 1	15.8'	
GRID EASTING COORDINATE	2,307,353.90'	RM 2	44.7'	
		RM 3		
NAVD88 ELEVATION	576.75'			


DESCRIPTION OF STATION MARK	ALUMINUM DISK SET IN CONCRETE
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

ROUTE DESCRIPTION MONUMENT IS LOCATED APPROXIMATELY 50' SOUTH OF THE LIBRARY
ENTRANCE WESTERLY OF HOPKINS STREET.

REFERENCE MARK # 1 LIBRARY SIGN

REFERENCE MARK # 2 LIGHT POLE

REFERENCE MARK # 3





CSM24a.JPG



CSM24b.JPG

SAN MARCOS MONUMENT DESCRIPTION

DATE: APRIL 2005

STATION NAME: GPS #25	MONUMENTED BY: McMICHAEL LAND SURVEYING	DATE: APRIL, 2005	FIELD BOOK G.P.S.
---------------------------------	--	----------------------	----------------------

NAD-83 TEXAS PLANE COORDINATES SYSTEM
SOUTH CENTRAL ZONE 4204. ADJUST TO SURFACE
USING A SCALE FACTOR OF 1.000117080

GRID NORTHING COORDINATE 13,870,666.29'
GRID EASTING COORDINATE 2,309,389.48'

NAVD88 ELEVATION 578.94'

REFERENCE DATA

OBJECT	DISTANCE	
RM 1	46.6'	
RM 2	87.4'	
RM 3	19.2'	


DESCRIPTION OF
STATION MARK

ALUMINUM DISK SET IN CONCRETE

ROUTE DESCRIPTION

MONUMENT IS LOCATED ON THE SOUTHWEST
CORNER OF HOPKINS ST. AND CHEATHAM ST.

REFERENCE MARK # 1 PECAN TREE
REFERENCE MARK # 2 POWERPOLE
REFERENCE MARK # 3 LIGHT POLE





CSM25a.JPG



CSM25b.JPG